

**Quality Planting Material (QPM) available at the institute
for Bamboo, Teak, and other species as on July 2025**

Name of Species	Availability
<i>Bamboo Species</i>	512000
<i>Tectona grandis</i>	102000
<i>Casuarina</i>	400
<i>Rauvolfia serpentina</i>	400
<i>Terminalia bellirica</i>	2090
<i>Schleichera oleosa</i>	300
<i>Cordia macleodii</i>	250
<i>Hardwickia binata</i>	50
<i>Oroxylum indicum</i>	150
<i>Alianthus excelsa</i>	7000
<i>Buchanania lanzan</i>	3160
<i>Careya arborea</i>	6000
<i>Carissa carandus</i>	8000
<i>Desmodium oojeinense</i>	2500
<i>Haldina cordifolia</i>	4500
<i>Litsea glutinosa</i>	800
<i>Mitragyna parvifolia</i>	9015
<i>Saraca asoca</i>	2500
<i>Syzygium cumini</i>	9620
<i>Aegle marmelos</i>	920
<i>Dalbergia latifolia</i>	3500
<i>Azadirachta indica</i>	4750
<i>Albizia lebbeck</i>	4000
<i>Bauhinia variegata</i>	480
<i>Annona squamosa</i>	210
<i>Delonix regia</i>	2620
<i>Pongamia pinnata</i>	2328
<i>Bixa orellana</i>	220
<i>Gmelina arborea</i>	4000

<i>Madhuca longifolia</i>	1000
<i>Cassia fistula</i>	320
<i>Tamarindus indica</i>	950
<i>Mimusops elengi</i>	1440
<i>Senna siamea</i>	1260
<i>Bougainvillea glabra</i>	500
<i>Acacia auriculiformis</i>	320
<i>Melia azedarach</i>	370
<i>Peltophorum pterocarpum</i>	1100
<i>Tecomaria capensis</i>	270
<i>Acacia catechu</i>	201
<i>Bauhinia malabarica</i>	40
<i>Bauhinia vahlii</i>	260
<i>Bridelia retusa</i>	20
<i>Butea monosperma</i>	120
<i>Commiphora wightii</i>	8
<i>Cordia myxa</i>	30
<i>Dillenia pentagyna</i>	65
<i>Dolichandron falcata</i>	25
<i>Feronia limonia</i>	1155
<i>Flacourtia indica</i>	740
<i>Gardenia latifolia</i>	35
<i>Gymnema sylvestre</i>	450
<i>Holoptelia integrifolia</i>	10
<i>Hymenodictyon excelsum</i>	750
<i>Kydia calycina</i>	170
<i>Lannea coromandelica</i>	3
<i>Mallotus phillipinensis</i>	200
<i>Mallotus phillipinensis</i>	150
<i>Nyctanthus arbortristis</i>	160
<i>Oroxylum indicum</i>	60
<i>palm</i>	155

<i>Pterospermum acerifolium</i>	200
<i>Pterygota alata</i>	45
<i>Putranjiva roxburghii</i>	300
<i>Radermachera xylocarpa</i>	20
<i>Sapindus mukorossi</i>	90
<i>Schleichera oleosa</i>	10
<i>Semecarpus anacardium</i>	40
<i>Semecarpus anacardium</i> .	160
<i>Sterculia foetida</i>	450
<i>Sterculia foetida</i>	150
<i>Sterculia villosa</i>	2
<i>Stereospermum chelonoides</i>	42
<i>Terminalia arjuna</i>	100
<i>Thespesia populnea</i>	120
<i>Wrightia tinctoria</i>	15
	707844

For any query please contact:

Director

ICFRE-Tropical Forest Research Institute

P.O. RFRC, Mandla Road, Jabalpur (MP)

E-mail: dir_tfri@icfre.org

Phone: 0761-2840483, 0761-2997374